

# SAFETY DATA SHEET

---

## SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

---

**CAS Number:** Calpar 600  
**Product Name:** Calpar 600  
**Revision Date:** Feb 01, 2019 **Date Printed:** Feb 04, 2019  
**Version:** 1.0 **Supersedes Date:** N.A.  
**Manufacturer's Name:** Thames River Chemical Corp.  
**Address:** 5230 Harvester Road Burlington, ON, CA, L7L 4X4  
**Emergency Phone:** CHEMTREC (800) 424-9300  
**Information Phone Number:** 905-681-5353  
**Fax:** 905-681-5377  
**Product/Recommended Uses:** For laboratory or industrial use only.

---

## SECTION 2) HAZARDS IDENTIFICATION

---

### Classification

Not classified

### Pictograms

None

### Signal Word

No signal word available.

### Precautionary Statements - General

No precautionary statement available.

### Precautionary Statements - Prevention

No precautionary statement available.

### Precautionary Statements - Response

No precautionary statement available.

### Precautionary Statements - Storage

No precautionary statement available.

### Precautionary Statements - Disposal

No precautionary statement available.

---

## SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS

---

CAS	Chemical Name	% By Weight
0064742-65-0	MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC	100%

---

## SECTION 4) FIRST-AID MEASURES

---

**Inhalation**

Remove source of exposure or move person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

**Eye Contact**

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes or until medical aid is available. If irritation occurs, seek medical attention.

**Skin Contact**

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse/wash with lukewarm, gently flowing water and mild soap for 5 minutes or until product is removed. If skin irritation occurs or you feel unwell: Get medical advice/attention. Wash contaminated clothing before re-use or discard.

**Ingestion**

Rinse mouth. If vomiting occurs naturally, lie on your side, in the recovery position. Get medical advice/attention.

**Most Important Symptoms and Effects, Both Acute and Delayed**

No Data Available

**Indication of Any Immediate Medical Attention and Special Treatment Needed**

No Data Available

---

**SECTION 5) FIRE-FIGHTING MEASURES**

---

**Suitable Extinguishing Media**

Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable Extinguishing Media**

Do not use straight stream of water.

**Specific Hazards in Case of Fire**

In a fire or if heated, a pressure increase will occur and the container may burst.

**Fire-fighting Procedures**

Isolate immediate hazard area and keep unauthorized personnel out. Move undamaged containers from immediate hazard area if it can be done safely.

**Special Protective Actions**

Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

---

**SECTION 6) ACCIDENTAL RELEASE MEASURES**

---

**Emergency Procedure**

Isolate hazard area and keep unauthorized personnel away. Stay uphill and/or upstream. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ventilate closed spaces before entering.

**Recommended Equipment**

Wear chemical protective clothing.

**Personal Precautions**

Avoid breathing vapor or mist. Avoid contact with skin, eye or clothing.

**Environmental Precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. Dike far ahead of liquid spill for later disposal.

**Methods and Materials for Containment and Cleaning up**

Absorb Liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal.

## SECTION 7) HANDLING AND STORAGE

### General

Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Eyewash stations and showers should be available in areas where this material is used and stored. All containers must be properly labeled.

### Ventilation Requirements

Use only with adequate ventilation to control air contaminants to their exposure limits.

### Storage Room Requirements

Store in dry, cool areas, out of direct sunlight and away from other sources of heat. Empty container retain residue and may be dangerous.

## SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

### Eye protection

Wear indirect-vent, impact and splash resistant goggles when working with liquids

### Skin Protection

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory Protection

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

### Appropriate Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	CANsmg	CANsppm	CANtmg	CANtppm	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	ACGIH STEL (mg/m3)
MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC							2000	500		1		

Chemical Name	ACGIH STEL (ppm)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH TLV Basis	ACGIH Carcinogen	ACGIH Notations
MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC		[(L)]; [5 (I)];	(L)	URT irr	[A2]; [A4];	[A2]; [A4];

(L) - Exposure by all routes should be carefully controlled to levels as low as possible, irr - Irritation, URT - Upper respiratory tract

---

**SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

---

**Physical and Chemical Properties**

Density	7.39 lb/gal
Specific Gravity	0.89
<hr/>	
Appearance	viscous amber liquid
Odor Description	characteristic
Odor Threshold	N/A
pH	No Data Available
Melting/Freezing Point	0 °C
Low Boiling Point	207 °C
High Boiling Point	750 °C
Flash Point	open cup: 264°C
Vapor Pressure	<0.011 kpa
Vapor Density	No Data Available
Evaporation Rate	No Data Available
Upper Explosion Level	N/A
Lower Explosion Level	N/A
Water Solubility	No Data Available
Coefficient Water/Oil	2 to 6
Viscosity	118.98 cSt

---

**SECTION 10) STABILITY AND REACTIVITY**

---

**Reactivity**

No Data Available

**Stability**

Stable under normal storage and handling conditions.

**Conditions to Avoid**

Stable under normal storage and handling conditions

**Hazardous Reactions/Polymerization**

Hazardous polymerization will not occur.

**Incompatible Materials**

Stable under normal storage and handling conditions

**Hazardous Decomposition Products**

No Data Available

---

**SECTION 11) TOXICOLOGICAL INFORMATION**

---

**Likely Route of Exposure**

Inhalation, ingestion, skin absorption

**Acute Toxicity**

LC50 Inhalation Dusts and mists  
Rat: >5.53 mg/l 4 hours

LD50 Dermal  
Rabbit: >2000 mg/kg

LD50 Oral  
Rat: >5000 mg/kg

**Aspiration Hazard**

No Data Available

**Carcinogenicity**

No Data Available

**Germ Cell Mutagenicity**

No Data Available

**Reproductive Toxicity**

No Data Available

**Respiratory/Skin Sensitization**

No Data Available

**Serious Eye Damage/Irritation**

No Data Available

**Skin Corrosion/Irritation**

No Data Available

**Specific Target Organ Toxicity - Repeated Exposure**

No Data Available

**Specific Target Organ Toxicity - Single Exposure**

No Data Available

0064742-65-0 MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC

LD50 (Rodent - rat, Oral) : >5000 mg/kg, Toxic effects : Details of toxic effects not reported other than lethal dose value.

LD50 (Rodent - rabbit, Administration onto the skin) : 5000 mg/kg, Toxic effects : Details of toxic effects not reported other than lethal dose value.

---

**SECTION 12) ECOLOGICAL INFORMATION**

---

**Toxicity**

Acute EC50: >100 mg/l (Algae 72 hours)  
Acute EC50: >100 mg/l (Daphnia 48 hours)  
Acute LC50: >100 mg/l (Fish 96 hours)  
Chronic NOEL: >1 mg/l (Daphnia 21 days)

**Mobility in Soil**

No Data Available

**Bio-accumulative Potential**

high

**Persistence and Degradability**

No Data Available

**Other Adverse Effects**

No Data Available

---

## SECTION 13) DISPOSAL CONSIDERATIONS

---

### Waste Disposal

Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, provincial and local laws.

---

## SECTION 14) TRANSPORT INFORMATION

---

### Transport Canada Information

UN number: Not Regulated

Hazard class: N/A

Proper shipping name: N/A

Packaging group: N/A

### U.S. DOT Information

UN number: Not Regulated

Hazard class: N/A

Proper shipping name: N/A

Packaging group: N/A

---

## SECTION 15) REGULATORY INFORMATION

---

CAS	Chemical Name	% By Weight	Regulation List
0064742-65-0	MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC	100%	DSL,TSCA,EU_EC_Inventory

---

## SECTION 16) OTHER INFORMATION

---

### Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG- Canadian Transportation of Dangerous Goods; CANsmg or CANspmm - Canadian Short Term Exposure Level in mg/L or in ppm; CANtrmg or CANtppm - Canadian Time Weighted Average in mg/L or in ppm; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94 -469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

**Version 1.0:**

Revision Date: Feb 01, 2019

First Edition.

---

**DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.