

SAFETY DATA SHEET

SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

CAS Number: 7722-84-1
Product Name: Hydrogen Peroxide 15%
Revision Date: Mar 14, 2018 **Date Printed:** Mar 14, 2018
Version: 1.0 **Supersedes Date:** N.A.
Manufacturer's Name: Thames River Chemical Corp.
Address: 5230 Harvester Road Burlington, ON, CA, L7L 4X4
Emergency Phone: CHEMTREC (800) 424-9300
Information Phone Number: 905-681-5353
Fax: 905-681-5377
Product/Recommended Uses: For laboratory or industrial use only.

SECTION 2) HAZARDS IDENTIFICATION

Classification

Acute toxicity Oral - Category 4
Oxidizing Liquids - Category 2
Serious Eye Damage - Category 1
Skin Irritation - Category 3

Pictograms



Signal Word

Danger

Hazard Statements - Health

Harmful if swallowed
Causes serious eye damage
Causes mild skin irritation

Hazard Statements - Physical

May intensify fire; Oxidizer

Precautionary Statements - General

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.

Precautionary Statements - Prevention

Wash thoroughly/Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep away from clothing and other combustible materials.
Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF SWALLOWED: Call a POISON CENTER or doctor, if you feel unwell.

Rinse mouth.

In case of fire: Use carbon dioxide, alcohol foam, water spray or dry chemical to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

If skin irritation occurs: Get medical advice/attention.

Precautionary Statements - Storage

No precautionary statement available.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/national/international regulation. Waste management should be in full compliance with national, regional and local laws.

Physical Hazards Not Otherwise Classified

No Data Available

Health Hazards Not Otherwise Classified

No Data Available

SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
0007732-18-5	WATER	85%
0007722-84-1	HYDROGEN PEROXIDE	15%

SECTION 4) FIRST-AID MEASURES

Inhalation

Get medical advice/attention if you feel unwell or are concerned. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Remove source of exposure or move person to fresh air and keep comfortable for breathing. Eliminate all ignition sources if safe to do so. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor.

Eye Contact

If eye irritation persists: Get medical advice/attention. If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the eyelids open. Get medical attention.

Skin Contact

Take off immediately all contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Store contaminated clothing under water and wash before re-use or discard. Rinse skin with water/shower and mild soap for 5 minutes or until product is removed.

Ingestion

Give plenty of water to drink to dilute stomach contents. Do not induce vomiting.

Get medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

No Data Available

Indication of Any Immediate Medical Attention and Special Treatment Needed

No Data Available

SECTION 5) FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

USE WATER ONLY! Use large amounts of water and spray to cool containers. DO NOT use dry chemicals, foam or a fire blanket. For large fires, flood fire area from a distance, do not flush to sewer unless concentration is 1% or less due to explosion hazard. Always stay away from the ends of tanks and wear self-contained breathing apparatus.

Unsuitable Extinguishing Media

Do not use straight stream of water.

Specific Hazards in Case of Fire

This product is not combustible, but a strong oxidizer. Mixtures with combustible or flammable materials may ignite easily, or may explode in contaminated, closed containers. Residual hydrogen peroxide that is dried on organic materials such as wood, paper, fabrics, cotton, leather or other combustibles can cause the materials to ignite and result in a fire. Auto Ignition Temperature: Non flammable, but decomposes at approximately 38°C (100°F).

Fire-fighting Procedures

Isolate immediate hazard area and keep unauthorized personnel out. Move undamaged containers from immediate hazard area if it can be done safely. Stop spill/release if it can be done safely. Cool containers with flooding quantities of water until well after fire is out. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product has a low flashpoint: Use of water spray when fighting fire may be inefficient. Nitromethane and nitroethane: Do not use dry chemical extinguishers to control fires. Large Fire: Dike fire-control water for later disposal; do not scatter the material

Special Protective Actions

Oxidizer – Keep away from flammable and combustible materials.

Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

SECTION 6) ACCIDENTAL RELEASE MEASURES

Emergency Procedure

Isolate hazard area and keep unauthorized personnel away. Stay uphill and/or upstream. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ventilate closed spaces before entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Evacuate and isolate hazard area and keep unauthorized personnel away. A vapor-suppressing foam may be used to reduce vapors.

Recommended Equipment

Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Personal Precautions

Avoid breathing vapor or mist. Avoid contact with skin, eye or clothing.

Environmental Precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. Dike far ahead of liquid spill for later disposal.

Methods and Materials for Containment and Cleaning up

Do not use absorbents. Contain small spills using non-combustible material such as vermiculite, sand or earth. Flush combustible materials with large amounts of water.

SECTION 7) HANDLING AND STORAGE

General

Never return unused peroxide to original container. Treat as flammable material; keep away from heat, sparks and open flames. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. This product is not intended for human or animal consumption. All containers must be properly labelled.

Ventilation Requirements

Use only with adequate ventilation to control air contaminants to their exposure limits. Report ventilation failures immediately. The use of local ventilation is recommended to control emissions near the source.

Storage Room Requirements

Store in a cool, dry, well-ventilated place away from other materials. Store in original, vented containers away from strong acids, strong oxidizing and reducing agents. Do not store in heat or direct sunlight. Store away from incompatible materials such as high pH material, metals, salts, organics, dust & dirt. Do not confine in un-vented vessels or between closed valves.

SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye protection

Wear indirect-vent, impact and splash resistant goggles when working with liquids

Skin Protection

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber.

Respiratory Protection

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

Appropriate Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	CANsmg	CANppm	CANtmg	CANtppm	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	ACGIH STEL (mg/m3)
HYDROGEN PEROXIDE	2.8	2	1.4	1			1.4	1		1		

Chemical Name	ACGIH STEL (ppm)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH TLV Basis	ACGIH Carcinogen	ACGIH Notations
HYDROGEN PEROXIDE		1.4	1	Eye, URT & skin irr	A3	A3

A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans, irr - Irritation, URT - Upper respiratory tract

SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Density	8.75 lb/gal
Specific Gravity	1.05
Appearance	clear, colorless liquid
Odor Description	slightly sharp, pungent
Odor Threshold	N/A
pH	less than 2
Melting Point	-17 to -56 °C
Low Boiling Point	103 °C
High Boiling Point	120 °C
Flash Point	does not burn
Vapor Pressure	0.010 kPa (25°C)
Vapor Density	0.66 - 0.95 (air=1)
Evaporation Rate	>1
Upper Explosion Level	N/A
Lower Explosion Level	N/A
Water Solubility	100%
Coefficient Water/Oil	Log P(oct) = -0.70 to -1.33 (estimated)
Viscosity	1.05 - 1.21

SECTION 10) STABILITY AND REACTIVITY

Reactivity

No Data Available

Stability

Stable when product is pure, stored under suitable conditions and temperature is less than 38°C. Stability is reduced when pH is above 4.0, when heated to high temperatures, and when in contact with combustible materials.

Conditions to Avoid

Avoid heating or mixing with organic materials, tissues. Containers can explode in fire. Avoid contamination of any kind. Avoid contact with combustible material.

Hazardous Reactions/Polymerization

Hazardous polymerization will not occur.

Incompatible Materials

No Data Available

Hazardous Decomposition Products

Hydrogen Peroxide decomposes on heating to produce oxygen gas, steam and heat.

SECTION 11) TOXICOLOGICAL INFORMATION

Likely Route of Exposure

Inhalation, ingestion, skin absorption

Acute Toxicity

Harmful if swallowed

Aspiration Hazard

No Data Available

Carcinogenicity

No Data Available

Germ Cell Mutagenicity

No Data Available

Reproductive Toxicity

No Data Available

Respiratory/Skin Sensitization

No Data Available

Serious Eye Damage/Irritation

Causes serious eye damage

Skin Corrosion/Irritation

Causes mild skin irritation

Specific Target Organ Toxicity - Repeated Exposure

No Data Available

Specific Target Organ Toxicity - Single Exposure

No Data Available

0007722-84-1 HYDROGEN PEROXIDE

LC50 (rat): 2000 mg/m³ (4-hour exposure; whole body exposure) (concentration not specified) (3) NOTE: This value is not considered reliable since a whole body exposure was used and the study was poorly reported.

LD50 (oral, male rat): 1193 mg/kg (35% solution) (4, unconfirmed)
LD50 (oral, female rat): 801 mg/kg (60% solution) (4, unconfirmed)
LD50 (oral, male rat): 75 mg/kg (70% solution) (4, unconfirmed)
LD50 (oral, mouse): 2000 mg/kg (90% solution) (4,12, u

SECTION 12) ECOLOGICAL INFORMATION

Toxicity

Harmful to aquatic organisms, especially to algae. Freshwater algae are affected by hydrogen peroxide in concentrations of 2-20 mg/L; while 1 mg/L affects certain marine algae.

Mobility in Soil

No Data Available

Bio-accumulative Potential

No Data Available

Persistence and Degradability

No Data Available

Other Adverse Effects

No Data Available

SECTION 13) DISPOSAL CONSIDERATIONS

Waste Disposal

Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, provincial and local laws.

SECTION 14) TRANSPORT INFORMATION

U.S. DOT Information

UN number: UN2984

Proper shipping name: Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)

Hazard class: 5.1

Packaging group: II

Hazardous substance (RQ): No Data Available

Toxic-Inhalation Hazard: No Data Available

Marine Pollutant: No Data Available

Note / Special Provision: No Data Available

Transport Canada Information

UN number: UN2984

Proper shipping name: Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)

Hazard class: 5.1

Packaging group: II

Marine Pollutant: No Data Available

Transport in bulk (according to Annex II of MARPOL 73/78): No Data Available

Note / Special Provision: Note / Special Provision

SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
0007732-18-5	WATER	85%	DSL,TSCA,EU_EC_Inventory - EC Inventory
0007722-84-1	HYDROGEN PEROXIDE	15%	DSL,TSCA,EU_EC_Inventory - EC Inventory

SECTION 16) OTHER INFORMATION

Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG- Canadian Transportation of Dangerous Goods; CANsmg or CANspmm - Canadian Short Term Exposure Level in mg/L or in ppm; CANTmg or CANTppm - Canadian Time Weighted Average in mg/L or in ppm; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

Version 1.0:

Revision Date: Jul 03, 2017

First Edition.

DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.