

## SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

**CAS Number:** 7732-18-5  
**Product Name:** Thamesamox LO  
**Revision Date:** Jan 30, 2020 **Date Printed:** Jan 30, 2020  
**Version:** 2.0 **Supersedes Date:** Jul 20, 2018  
**Manufacturer's Name:** Thames River Chemical Corp.  
**Address:** 5230 Harvester Road Burlington, ON, CA, L7L 4X4  
**Emergency Phone:** CHEMTREC (800) 424-9300  
**Information Phone Number:** 905-681-5353  
**Fax:** 905-681-5377  
**Product/Recommended Uses:** For laboratory or industrial use only.

## SECTION 2) HAZARDS IDENTIFICATION

### Classification

Acute toxicity Oral - Category 4  
Eye Irritation - Category 2A  
Skin Irritation - Category 2

### Pictograms



### Signal Word

Warning

### Hazard Statements - Health

Harmful if swallowed  
Causes serious eye irritation  
Causes skin irritation

### Precautionary Statements - General

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.

### Precautionary Statements - Prevention

Wash/Wash hands thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statements - Response

IF SWALLOWED: Call a POISON CENTER or doctor, if you feel unwell.

Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water and soap.

Specific treatment (see first-aid on the SDS).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing. And wash it before reuse.

### Precautionary Statements - Storage

No precautionary statement available.

### Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/national/international regulation. Waste management should be in full compliance with national, regional and local laws.

### Physical Hazards Not Otherwise Classified

No data available.

### Health Hazards Not Otherwise Classified

No data available.

## SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
0007732-18-5	WATER	69% - 71%
0070592-80-2	Amines, C10-16-alkyldimethyl, N-oxides	29 - 31%
0007722-84-1	HYDROGEN PEROXIDE	0 - 1%

## SECTION 4) FIRST-AID MEASURES

### Inhalation

If respiratory irritation develops remove to fresh air. If difficulty breathing, give oxygen and get medical attention. If not breathing apply artificial respiration and get medical attention.

### Eye Contact

Get medical attention. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes or until medical aid is available. Seek medical attention.

### Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse/wash with lukewarm, gently flowing water and mild soap for 5 minutes or until product is removed. If skin irritation occurs or you feel unwell: Get medical advice/attention. Wash contaminated clothing before re-use or discard.

### Ingestion

Do NOT induce vomiting. Do not give anything to an unconscious person. If conscious wash mouth out and then give 1 – 2 glasses of water to drink. Get medical aid. Vomiting may occur spontaneously – lay victim on side to avoid aspiration of swallowed product.

### Most Important Symptoms and Effects, Both Acute and Delayed

No data available.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

No data available.

## SECTION 5) FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Does not burn. Use media suitable for surrounding fire, such as water spray, dry chemical, foam. Do not use water jet as this will spread the fire.

### Unsuitable Extinguishing Media

Do not use straight stream of water.

### Specific Hazards in Case of Fire

May generate nitrogen oxides, ammonia gas. Keep run-off out of rivers and streams.

### Fire-fighting Procedures

Move undamaged containers from immediate hazard area if it can be done safely. Closed containers may explode when exposed to high temperatures.

Isolate immediate hazard area and keep unauthorized personnel out.

### Special Protective Actions

Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

## SECTION 6) ACCIDENTAL RELEASE MEASURES

### Emergency Procedure

Isolate hazard area and keep unauthorized personnel away. Stay uphill and/or upstream. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ventilate closed spaces before entering.

### Recommended Equipment

Wear chemical protective clothing.

### Personal Precautions

Avoid breathing vapor or mist. Avoid contact with skin, eye or clothing.

### Environmental Precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. Dike far ahead of liquid spill for later disposal.

### Methods and Materials for Containment and Cleaning up

Absorb Liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal.

## SECTION 7) HANDLING AND STORAGE

### General

Use pneumatic and/or mechanical systems for bulk transfer of the substance Use exhaust ventilation and/or dust collecting filters for bulk transfer and storage. Use approved respiratory protection when handling. Keep bulk of materials out of sewer drains.

Wash hands after use. Do not get in eyes, on skin or on clothing. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Eyewash stations and showers should be available in areas where this material is used and stored

### Ventilation Requirements

Use only with adequate ventilation to control air contaminants to their exposure limits.

### Storage Room Requirements

Store in dry, cool areas, out of direct sunlight and away from other sources of heat. Store in original containers. Keep containers securely sealed.

## SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

### Eye protection

Wear indirect-vent, impact and splash resistant goggles when working with liquids

### Skin Protection

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory Protection

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection

program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

### Appropriate Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	CANsmg	CANsppm	CANtmg	CANtppm	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA TWA (mg/m3)	OSHA TWA (ppm)
HYDROGEN PEROXIDE	2.8	2	1.4	1			1.4	1

Chemical Name	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	ACGIH STEL (mg/m3)	ACGIH STEL (ppm)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH TLV Basis
HYDROGEN PEROXIDE		1					1	Eye, URT & skin irr

Chemical Name	ACGIH Carcinogen	ACGIH Notations
HYDROGEN PEROXIDE	A3	A3

A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans, irr - Irritation, URT - Upper respiratory tract

## SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

Density	8.10 lb/gal
Specific Gravity	0.97
<hr/>	
Appearance	clear colourless liquid
Odor Description	mild
Odor Threshold	No Data Available
pH	8
Melting/Freezing Point	0 °C
Low Boiling Point	100 °C
High Boiling Point	N/A
Flash Point	No Data Available
Vapor Pressure	No Data Available
Vapor Density	N/A
Evaporation Rate	N/A
Upper Explosion Level	N/A
Lower Explosion Level	N/A
Water Solubility	soluble
Coefficient Water/Oil	Log Kow: < 2.7
Viscosity	No Data Available

## SECTION 10) STABILITY AND REACTIVITY

### Reactivity

No data available.

### Stability

Stable under normal storage and handling conditions.

### Conditions to Avoid

Contamination, heat, flames.

### **Hazardous Reactions/Polymerization**

Hazardous polymerization will not occur.

### **Incompatible Materials**

Strong oxidizing agents

### **Hazardous Decomposition Products**

Oxides of nitrogen and carbon, ammonia.

## **SECTION 11) TOXICOLOGICAL INFORMATION**

### **Likely Route of Exposure**

Inhalation, ingestion, skin absorption

### **Acute Toxicity**

LD50 >600mg/kg (oral, rat)

LD50 >520mg/kg (dermal, rabbit)

Harmful if swallowed

### **Aspiration Hazard**

No data available.

### **Carcinogenicity**

No data available.

### **Germ Cell Mutagenicity**

No data available.

### **Reproductive Toxicity**

No data available.

### **Respiratory/Skin Sensitization**

No data available.

### **Serious Eye Damage/Irritation**

Causes serious eye irritation

0007722-84-1 HYDROGEN PEROXIDE

Corrosive to the eye.

### **Skin Corrosion/Irritation**

Causes skin irritation

0007722-84-1 HYDROGEN PEROXIDE

Corrosive to the skin.

### **Specific Target Organ Toxicity - Repeated Exposure**

No data available.

### **Specific Target Organ Toxicity - Single Exposure**

0007722-84-1 HYDROGEN PEROXIDE

The vapour is irritating to the respiratory tract.

### **Likely Routes of Exposure**

Inhalation, Ingestion, Skin contact, Eye contact

0007722-84-1 HYDROGEN PEROXIDE

The substance can be absorbed into the body by inhalation of its vapour and by ingestion.

### **Miscellaneous Health Effects**

0007722-84-1 HYDROGEN PEROXIDE

Ingestion of this substance may produce oxygen bubbles (embolism) in the blood, resulting in shock.

LC50 (rat): 2000 mg/m<sup>3</sup> (4-hour exposure; whole body exposure) (concentration not specified) (3) NOTE: This value is not considered reliable since a whole body exposure was used and the study was poorly reported.

LD50 (oral, male rat): 1193 mg/kg (35% solution) (4, unconfirmed)  
LD50 (oral, female rat): 801 mg/kg (60% solution) (4, unconfirmed)  
LD50 (oral, male rat): 75 mg/kg (70% solution) (4, unconfirmed)  
LD50 (oral, mouse): 2000 mg/kg (90% solution) (4,12, unconfirmed)  
LD50 (dermal, rabbit): approximately 690 mg/kg (90% solution) (4, unconfirmed)  
LD50 (oral, male rat): 1517 mg/kg (9.6% solution) (4,12)

## SECTION 12) ECOLOGICAL INFORMATION

### Toxicity

Acute toxicity :

LC50 :1010 µg/l/96hr, Daphnia magna

LC50 :2.6-3.5 mg/l/96hr, fish

Chronic toxicity:

Daphnia 21 day NOEC: 700 µg/l

Fish (fathead minnow) 302 day NOEC: 420µg/l

No data available.

### Mobility in Soil

No data available.

### Bio-accumulative Potential

Bioaccumulation potential is predicted to be low

0007722-84-1 HYDROGEN PEROXIDE

No potential for bioaccumulation.

### Persistence and Degradability

Readily biodegradable both aerobically and anaerobically

0007722-84-1 HYDROGEN PEROXIDE

Readily biodegradable.

### Other Adverse Effects

No data available.

### Results of the PBT and vPvB assessment

0007722-84-1 HYDROGEN PEROXIDE

The substance is not PBT/vPvB.

## SECTION 13) DISPOSAL CONSIDERATIONS

### Waste Disposal

Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, provincial and local laws.

## SECTION 14) TRANSPORT INFORMATION

### Transport Canada Information

UN number: Not Regulated

Hazard class: N/A

Proper shipping name: N/A

Packaging group: N/A

## U.S. DOT Information

UN number: Not Regulated

Hazard class: N/A

Proper shipping name: N/A

Packaging group: N/A

## SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
0007722-84-1	HYDROGEN PEROXIDE	1%	DSL,TSCA,EU_EC_Inventory

The information in this Section does not list components that might have relevant DSL, EU\_EC\_Inventory, TSCA regulatory values, if they are present at less than 100%. Please contact manufacturer for more information.

## SECTION 16) OTHER INFORMATION

### Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG- Canadian Transportation of Dangerous Goods; CANsmg or CANspmm - Canadian Short Term Exposure Level in mg/L or in ppm; CANtmg or CANtppm - Canadian Time Weighted Average in mg/L or in ppm; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

### Version 2.0:

Revision Date: Jan 30, 2020

## DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.