

## SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

**CAS Number:** 68515-73-1 (D-glucopyranose, oligomers, decyl octyl glycosides)  
**Product Name:** Thamesurf 0810 L  
**Revision Date:** Nov 11, 2020 **Date Printed:** Nov 20, 2020  
**Version:** 1.0 **Supersedes Date:** N.A.  
**Manufacturer's Name:** Thames River Chemical Corp.  
**Address:** 5230 Harvester Road Burlington, ON, CA, L7L 4X4  
**Emergency Phone:** CHEMTREC (800) 424-9300  
**Information Phone Number:** 905-681-5353  
**Fax:** 905-681-5377  
**Product/Recommended Uses:** For laboratory or industrial use only.

## SECTION 2) HAZARDS IDENTIFICATION

### Classification

Serious Eye Damage - Category 1

### Pictograms



### Signal Word

Danger

### Hazard Statements - Health

Causes serious eye damage

### Precautionary Statements - General

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

### Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

### Precautionary Statements - Storage

No precautionary statement available.

### Precautionary Statements - Disposal

No precautionary statement available.

### Physical Hazards Not Otherwise Classified

No data available.

### Health Hazards Not Otherwise Classified

No data available.

## SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
0068515-73-1	D-Glucopyranose, oligomeric, decyl octyl glycosides	58% - 62%
0007732-18-5	WATER	38% - 42%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality or to reflect batch to batch variation.

## SECTION 4) FIRST-AID MEASURES

### Inhalation

Get medical advice/attention if you feel unwell or are concerned. Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor.

### Eye Contact

Immediately call a POISON CENTER/doctor. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 30 minutes or until medical aid is available. Take care not to rinse contaminated water into the unaffected eye or onto the face.

### Skin Contact

Take off immediately all contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash contaminated clothing before re-use. Immediately call a POISON CENTER/doctor. Rinse affected area of skin with large amounts of water for 15 minutes. If irritation occurs consult a physician.

### Ingestion

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Rinse mouth. Immediately call a POISON CENTER/doctor. If vomiting occurs naturally, lie on your side, in the recovery position.

### Most Important Symptoms and Effects, Both Acute and Delayed

Causes serious eye damage

No data available.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

No data available.

## SECTION 5) FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>), dry chemical powder, foam. Water spray.

### Specific Hazards in Case of Fire

Oxides of carbon.

### Fire-fighting Procedures

Isolate immediate hazard area and keep unauthorized personnel out. Move undamaged containers from immediate hazard area if it can be done safely. Stop spill/release if it can be done safely.

### Special Protective Actions

Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

### 5.3 Advice for firefighters

Firefighters should wear NIOSH/MSHA approved self-contained, breathing apparatus and full protective clothing

## SECTION 6) ACCIDENTAL RELEASE MEASURES

### Emergency Procedure

Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ventilate closed spaces before entering.

### Recommended Equipment

Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

### Personal Precautions

DO NOT get on skin, eyes or clothing. Avoid breathing vapor or mist.

### Environmental Precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

### Methods and Materials for Containment and Cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Ventilate area after clean-up is complete.

## SECTION 7) HANDLING AND STORAGE

### General

Wash hands after use. Do not get in eyes, on skin or on clothing. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas.

### Ventilation Requirements

Use only with adequate ventilation to control air contaminants to their exposure limits.

### Storage Room Requirements

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

## SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

### Eye protection

Wear safety glasses with side shields

Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.

### Skin Protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### Respiratory Protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Chemical Name	CANsmg	CANspmm	CANtmg	CANtppm	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA TWA (mg/m3)	OSHA TWA (ppm)
No applicable	-	-	-	-	-	-	-	-

chemical								
----------	--	--	--	--	--	--	--	--

Chemical Name	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	ACGIH STEL (mg/m3)	ACGIH STEL (ppm)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH TLV Basis
No applicable chemical	-	-	-	-	-	-	-	-

Chemical Name	ACGIH Carcinogen	ACGIH Notations
No applicable chemical	-	-

## SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

Density	8.35 lb/gal
Specific Gravity	1.00

Appearance	Brown-black viscous liquid
Odor Description	weak odor
Odor Threshold	N/A
pH	N/A
Melting/Freezing Point	N/A
Low Boiling Point	N/A
High Boiling Point	N/A
Flash Point	>70 °C
Vapor Pressure	N/A
Vapor Density	N/A
Evaporation Rate	N/A
Upper Explosion Level	N/A
Lower Explosion Level	N/A
Water Solubility	N/A
Coefficient Water/Oil	N/A
Viscosity	N/A

## SECTION 10) STABILITY AND REACTIVITY

### Reactivity

No data available.

### Stability

Stable under normal storage and handling conditions.

### Conditions to Avoid

Protect from moisture.

### Hazardous Reactions/Polymerization

Hazardous polymerization will not occur.

### Incompatible Materials

Strong oxidizing agents

### Hazardous Decomposition Products

## SECTION 11) TOXICOLOGICAL INFORMATION

### Acute Toxicity

Oral, LD50: >2000 mg/kg (rat)

### Aspiration Hazard

No data available.

### Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### Germ Cell Mutagenicity

No data available.

### Reproductive Toxicity

No data available.

### Respiratory/Skin Sensitization

No data available.

### Serious Eye Damage/Irritation

Causes serious eye damage

### Skin Corrosion/Irritation

No data available.

### Specific Target Organ Toxicity - Repeated Exposure

No data available.

### Specific Target Organ Toxicity - Single Exposure

No data available.

### Likely Routes of Exposure

Inhalation, Ingestion, Skin contact, Eye contact

## SECTION 12) ECOLOGICAL INFORMATION

### Toxicity

Toxicity to fish: LC50 - FISH - 126 mg/l - 96h

Toxicity to daphnia and other aquatic invertebrates: LC50 - Daphnia magna (Water flea) - >100 mg/l - 48h

### Mobility in Soil

No data available.

### Bio-accumulative Potential

No data available.

### Persistence and Degradability

This product is readily biodegradable.

### Other Adverse Effects

No data available.

## SECTION 13) DISPOSAL CONSIDERATIONS

### 13.1 Waste Treatment Methods

Waste management should be in full compliance with federal, state and local laws.

### Waste Disposal

It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, provincial and local laws.

## SECTION 14) TRANSPORT INFORMATION

	Transport Canada Information	U.S. DOT Information
<b>UN number:</b>	Not Regulated	Not Regulated
<b>Proper shipping name:</b>	N/A	N/A
<b>Hazard class:</b>	Not Applicable	
<b>Hazard class:</b>		Not Applicable
<b>Packaging group:</b>	Not Applicable	Not Applicable
<b>Hazardous substance (RQ):</b>		No Data Available
<b>Marine Pollutant:</b>	No Data Available	No Data Available
<b>Note / Special Provision:</b>	Note / Special Provision	No Data Available
<b>Toxic-Inhalation Hazard:</b>		No Data Available
<b>Transport in bulk (according to Annex II of MARPOL 73/78):</b>	No Data Available	

## SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
0068515-73-1	D-Glucopyranose, oligomeric, decyl octyl glycosides	68% - 72%	DSL,TSCA,EU_EC_Inventory
0007732-18-5	WATER	28% - 32%	DSL,TSCA,EU_EC_Inventory

## SECTION 16) OTHER INFORMATION

### Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG- Canadian Transportation of Dangerous Goods; CANsmg or CANspmm - Canadian Short Term Exposure Level in mg/L or in ppm; CANtmg or CANtppm - Canadian Time Weighted Average in mg/L or in ppm; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

## DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.